WHAT IS CLAIMED IS:

- 1. A built-in refrigerator comprising:
- a cabinet provided in a sink and having a component chamber at a rear bottom thereof;
 - a dust guard provided between a front bottom of the cabinet and a floor;
 - a compressor provided in the component chamber;
 - a condenser provided under a bottom surface of the cabinet;
- a ventilation passage communicating the component chamber with a bottom of the cabinet and outside of the dust guard for discharging heat generated from the condenser and the compressor to outside; and
- a cooling fan provided in the component chamber for cooling the condenser and the compressor.
 - 2. The built-in refrigerator as claimed in claim 1, wherein the condenser comprises:
- a refrigerant tube received into a receiving portion under the bottom surface of the cabinet; and
- a cooling fin having a first end being connected to the refrigerant tube and a second end being exposed to the ventilation passage.

- 3. The built-in refrigerator as claimed in claim 2, wherein the cooling fin and the refrigerant tube are formed as a single body.
- 4. The built-in refrigerator as claimed in claim 2, wherein the cooling fin comprises a long and thin plate parallel to an airflow direction in the ventilation passage.
- 5. The built-in refrigerator as claimed in 2, wherein the cooling fin is vertically extended downward from the refrigerant tube.
 - 6. The built-in refrigerator as claimed in claim 1, wherein the condenser comprises:
 - a refrigerant tube exposed on a bottom surface of the cabinet; and
- a cooling fin having a first end being connected with the refrigerant tube and a second end being exposed to the ventilation passage.
- 7. The built-in refrigerator as claimed in claim 6, wherein the cooling fin and the refrigerant tube are formed as a single body.

- 8. The built-in refrigerator as claimed in claim 6, wherein the cooling fin comprises a long and thin plate parallel to an airflow direction.
- 9. The built-in refrigerator as claimed in 6, wherein the cooling fin is vertically extended downward from the refrigerant tube.
 - 10. The built-in refrigerator as claimed in claim 1, wherein the condenser comprises:
- a refrigerant tube having a first end being received into the receiving portion under the bottom surface of the cabinet and a second end being exposed; and
- a cooling fin having a first end being connected with the refrigerant tube and a second end being exposed to the ventilation passage.
- 11. The built-in refrigerator as claimed in claim 10, wherein the cooling fin and the refrigerant tube are formed as a single body.
- 12. The built-in refrigerator as claimed in claim 10, wherein the cooling fin comprises a long and thin plate parallel to an airflow direction in the ventilation passage.

- 13. The built-in refrigerator as claimed in 10, wherein the cooling fin is vertically extended downward from the refrigerant tube.
- 14. The built-in refrigerator as claimed in claim 1, further comprising a bottom plate forming a bottom surface of the condenser.
 - 15. The built-in refrigerator as claimed in claim 14, wherein the condenser comprises:
- a refrigerant tube having a bottom surface being in contact with an upper surface of a bottom plate under a bottom surface of the cabinet; and
- a cooling fin provided for each of the corresponding refrigerant tube on the bottom surface of the bottom plate.
- 16. The built-in refrigerator as claimed in claim 15, wherein the cooling fin has a cross section in a "T" form.
- 17. The built-in refrigerator as claimed in claim 15, wherein the cooling fin is welded to the bottom plate.

- 18. The built-in refrigerator as claimed in claim 15, wherein the cooling fin is vertically extended downward from the refrigerant tube and comprises a long and thin plate parallel to an airflow direction in the ventilation passage.
- 19. The built-in refrigerator as claimed in claim 1, further comprising a divider for dividing the ventilation passage into an air inlet passage and an air outlet passage.
- 20. The built-in refrigerator as claimed in claim 19, wherein the divider is vertically extended to a surface of the condenser and is formed of a diaphragm blocking airflow.